

FEMS App enerixControl

Version:2025.10.1





Table of Contents

1. Introduction	2
1.1. Visualization and configuration in the FEMS Online Monitoring	2
2. Redeeming the license key	6
3. Installing the app	7
3.1. Establish a t-shaped connector to enerixControl	8
4. Contact	17



1. Introduction

Dear customer,

Thank you for choosing the "FEMS App enerixControl". You are welcome to send us your suggestions so that we can further improve the quality of our products.

1.1. Visualization and configuration in the FEMS Online Monitoring

After installing the FEMS App enerixControl, you will see the following widget in your live monitoring:




Figure 1. Flat widget

The following information is displayed in the widget:

- Override mode: ON or OFF.
- State: indicates whether an override by FEMS App enerixControl is currently taking place.
 - ° no override: the FENECON system is currently not overridden.
 - ° Override: the FENECON system is currently controlled by FEMS App enerixControl.

Click on the widget to open the detailed view of the FEMS app:






Figure 2. Detail widget

1. Open the detailed view of the FEMS App to activate the override by FEMS App enerixControl.






Figure 3. Activate FEMS App enerixControl — Step 1

- 2. Select "AN" in the "Mode" tab and confirm your change by clicking on the blue tick.
- 3. The override is then activated by the FEMS App enerixControl.






Figure 4. Activate FEMS App enerixControl — Step 2

Consumption

You can see the current discharging/charging power in the separate consumption widget in FEMS Online Monitoring.





Figure 5. Consumption widget



2. Redeeming the license key


- First, redeem the license key that you received with your invoice.
- Start in FEMS Online Monitoring.





3. Installing the app


- The starting point for installing the app is the FEMS App Center.
- Click on the FEMS App enerixControl tile under "Interfaces".





3.1. Establish a t-shaped connector to enerixControl

- Download the enerixControl app to your smartphone or tablet from the Apple App Store or Google Play Store.
- Open the enerixControl app on your device.
- Tap on "Register" at the bottom left.



1. Fill in the registration mask and then tap on "Register".



- 2. If your registration is successful, this window will appear and you will receive a confirmation by e-mail.
- 3. Open the email on the same device and tap on the confirmation link.
- 4. A confirmation screen will appear.
- 5. Select "Back".
 - \rightarrow You will now see the login screen.
- 6. Log in with your data









7. In the following screen, tap on the "Devices" tab at the bottom.



























3.1. Establish a t-shaped connector to enerixControl
















18. enerixControl can now be used in conjunction with FEMS.



4. Contact

For support, please contact:

FENECON GmbH Gewerbepark 6 94547 Iggensbach

Phone — Service: +49 (0) 9903 6280 0 E-Mail — Service: service@fenecon.de